

# DMX GATEWAY

## New Release



[www.hdlautomation.com](http://www.hdlautomation.com)



# HDL<sup>®</sup>

# HDL<sup>®</sup>

## DMX Gateway New Release

Introducing DMX Gateway, a gateway unit which integrates HDL Buspro system with DMX Lighting Control system, enabling control all range of Buspro features as dimmers, relays, etc. from professional lighting desks.



HDL-MBUS-DMX.232



## Parameters


- AC input: 230VAC±10%
- DC supply in: 90mA/24VDC
- DC supply out: 200mA/24VDC
- Interface: 128x64 dot matrix graphic LCD  
6 manual buttons
- Installation: Standard 35mm Din Rail
- Dimensions: 144x90x66(mm)
- Built-In Ethernet port

## Functions


- Gateway: DMX(DXM512/1990 or ArtNet) to HDL-BUS (one way)
- DMX decode: ArtNet to DMX512/1990
- MAX receivable DMX channel: 48
- Each DMX channel support 16 targets

# Schematic for DMX to HDL Buspro one way gateway

Scheme1



# Scheme2





# HDL<sup>®</sup>

RESIDENTIAL  
HOSPITALITY  
COMMERCIAL  

---

AUTOMATION

Tel.: 0086 020 8557 1381 Fax: 0086 020 8552 0532

Email: [sales@hdlautomation.com](mailto:sales@hdlautomation.com)



HDL Automation



HDL Automation



HDL Automation



HDL Automation

[www.hdlautomation.com](http://www.hdlautomation.com)